SAFETY DATA SHEET

1. Identification

Product identifier Bel-Ray H1-R Racing 100% Synthetic Ester 2T Engine Oil

Product Code 99280 SDS number 6691

Other means of identification Not available. Recommended use **Engine Oil Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 United States of America

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Solvent Naphtha (petroleum), Heavy Arom.		64742-94-5	< 1
Other components below repor	table levels		90 - 100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Material name: Bel-Ray H1-R Racing 100% Synthetic Ester 2T Engine Oil 99280 Version #: 2.0 Revision date: 03-22-2017 Print date: 03-22-2017 **Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Water fog.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Specific methods

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.

firefighters

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Keep out of the reach of children. Store away from

incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5)	PEL	400 mg/m3	

100 ppm

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form	
Solvent Naphtha (petroleum), Heavy Arom.	TWA	200 mg/m3	Non-aerosol.	
(CAS 64742-94-5)				

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

Solvent Naphtha (petroleum), Heavy Arom. (CAS Can be absorbed through the skin. 64742-94-5)

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Not available. Odor Not available. **Odor threshold** Not available. Not available.

Melting point/freezing point

Initial boiling point and

boiling range

539.6 °F (282 °C) estimated

Flash point 395.6 °F (202.0 °C) Pensky-Martens Closed Cup

Not available.

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Not available.

Explosive limit - upper

(%)

Vapor pressure

0.000009 hPa estimated

949.00 kg/m3 **Density** Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** 121 cSt

Viscosity temperature 104 °F (40 °C)

Other information

Explosive properties Not explosive.

Material name: Bel-Ray H1-R Racing 100% Synthetic Ester 2T Engine Oil 99280 Version #: 2.0 Revision date: 03-22-2017 Print date: 03-22-2017 Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing.

Percent volatile < 0.5 %

Specific gravity 0.95

VOC < 0.5 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contactNo adverse effects due to skin contact are expected. **Eye contact**Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Solvent Naphtha (petrole	um), Heavy Arom. (CAS 64742-94-5)	
<u>Acute</u>		

Inhalation

LC50 Rat 61 mg/l, 4 Hours

Oral

LD50 Rat > 25 ml/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Due to lack of data the classification is not possible.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ

Due to lack of data the classification is not possible.

toxicity - repeated exposure

Aspiration hazard Not an aspiration hazard.

Material name: Bel-Ray H1-R Racing 100% Synthetic Ester 2T Engine Oil 99280 Version #: 2.0 Revision date: 03-22-2017 Print date: 03-22-2017

^{*} Estimates for product may be based on additional component data not shown.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Bel-Ray H1-R Racing 1	00% Synthetic Est	er 2T Engine Oil	
Aquatic			
Crustacea	EC50	Daphnia	25862.0684 mg/l, 48 hours estimated
Fish	LC50	Fish	44344.9258 mg/l, 96 hours estimated
Components		Species	Test Results
Solvent Naphtha (petro	oleum), Heavy Aro	m. (CAS 64742-94-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	2.7 - 5.1 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	8.8 mg/l, 96 hours
			8.8 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

d products residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. **Annex II of MARPOL 73/78**

and the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Material name: Bel-Ray H1-R Racing 100% Synthetic Ester 2T Engine Oil 99280 Version #: 2.0 Revision date: 03-22-2017 Print date: 03-22-2017

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5)

US. California Proposition 65

None known. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 07-13-2016

 Revision date
 03-22-2017

Version # 2.0

United States & Puerto Rico

Disclaimer Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available

Material name: Bel-Ray H1-R Racing 100% Synthetic Ester 2T Engine Oil 99280 Version #: 2.0 Revision date: 03-22-2017 Print date: 03-22-2017

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).