KART GRAND PRIX 2T

Special 23 000 rpm GO Kart Lubricant

Premix Racing 2 stroke Engines

100% Synthetic - Ester

TYPE OF USE

Formula specially developed for racing GO KARTS.
Suitable for all kinds of gasoline.

Racing premix 2 stroke engines with very high RPM :
ROTAX, ATK, PARILLA, PCR, YAMAHA, Ital System, TM, ...

PERFORMANCES

STANDARDS	API TC
APPROVALS	FIA - CIK

The specific synthetic ester base provides very high lubricating power which decreases friction and wear.
Keeps engines always perfectly lubricated in extreme use conditions (23 000 rpm / high temperatures).
Prevents piston ring sticking.
Keeps engine clean contrary to 2 stroke standard racing oils.

RECOMMENDATIONS

Mixing ratio : 100 cc : 6%
125 cc : 4%
Adjust according to your own use and to your tuner's recommendations

PROPERTIES

Color	Visual	Red. (Amber until 04/2009).
Density at 20°C (68°F)	ASTM D1298	0.916
Viscosity at 100°C (212°F)	ASTM D445	16.9 mm ^{2}/s
Viscosity at 40°C (104°F)	ASTM D445	135 mm ^{2}/s
Viscosity Index	ASTM D2270	136
Pour point	ASTM D97	-33°C / -27.4°F
Flash point	ASTM D92	256°C / 492.8°F

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development
Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE
MOTUL . 119 Bd Félix Faure - 93303 AUBERVILLIERS CEDEX - BP 94 - Tel 33 1 48 11 70 00 - FAX 33 1 48 33 28 79 – Web Site: www.motul.fr